Silky

Silky CATALOG Vol.09 / 2023

U.M. KOGYO INC.
1015-1 Kishi-cho Ono Hyogo 675-1343 JAPAN
www.silky.co.jp
info@silky.jp

designed by **OneStroke**
onestroke.amebaownd.com

Silky
World's finest saw.

23

Silky
Catalog
2023

A Silky saw won't fall out of its scabbard and always provides straight cuts, even in the toughest conditions.
The clean cuts that are left behind allow trees to recover well and lead to healthy forests.

SAW that professionals continue to use ... Silky

01 FIXED SAWS

SUGOI X-LARGE ···· 08

SUGOWAZA X-LARGE ···· 09

IBUKI X-LARGE ···· 09

ZÜBAT LARGE ···· 10

ZÜBAT FINE ···· 10

ZÜBAT ARBORIST X-LARGE ···· 10

TSURUGI LARGE ···· 11

TSURUGI MEDIUM ···· 11

TSURUGI CURVE LARGE ···· 11

TSURUGI CURVE MEDIUM ···· 11

GUN-FIGHTER CURVE LARGE ···· 11

NATANOKO 60 LARGE ···· 11

Gomtaro LARGE ···· 12

Gomtaro FINE ···· 12

Gomtaro Pro-Sentei LARGE FINE ···· 12

Gomtaro Root-Cutting LARGE ···· 12

02 FOLDING SAWS

GOMBOY MEDIUM ···· 14

GOMBOY CURVE LARGE ···· 14

POCKETBOY MEDIUM ···· 15

POCKETBOY LARGE ···· 15

POCKETBOY FINE ···· 15

POCKETBOY CURVE LARGE ···· 15

BIGBOY MEDIUM ···· 16

BIGBOY LARGE ···· 16

BIGBOY FINE ···· 16

BIGBOY 2000 X-LARGE ···· 16

KATANABOY X-LARGE ···· 17

F180 LARGE ···· 18

F180 FINE ···· 18

super accel 21 LARGE ···· 18

super accel 21 FINE ···· 18

ULTRA ACCEL STRAIGHT LARGE ···· 18

ULTRA ACCEL CURVE LARGE ···· 18

WOODWORKING SAWS

WOODBOY X-FINE ···· 18

hibiki X-FINE ···· 18

Silky

01. FIXED SAWS
02. FOLDING SAWS
03. CHOPPERS
04. OUTBACK EDITION

03 CHOPPERS

NATA Double Edge ···· 20

ONO ···· 20

YOKI ···· 20

04 OUTBACK EDITION

POCKETBOY OUTBACK Edition MEDIUM ···· 23-24

GOMBOY CURVE OUTBACK Edition LARGE ···· 23-24

BIGBOY 2000 OUTBACK Edition X-LARGE ···· 23-24

FL

Full Lineup

PROFESSIONAL

Silky's manufacturing includes many processes and techniques. Supported by professionals worldwide.

ICON DESCRIPTIONS

For USE

EXTRA LARGE
FORESTRY · ARBORIST

LARGE
PRUNING · FORESTRY · ROOT CUTTING · ARBORIST

MEDIUM
PRUNING · CONSTRUCTION · ARBORIST

FINE
PRUNING · WOOD WORKING · BAMBOO CUTTING · ARBORIST

EXTRA FINE
DIY&HOBBY · WOOD WORKING

For FUNCTION

NON-SET TEETH
The blade is taper ground to reduce resistance giving smoother, easier, faster cutting performance.

MIRAI-ME
The blade has 4 cutting angles along its length. It leaves a smooth surface after cutting and can rip-cut, cross-cut and slant-cut.

PROGRESSIVE TEETH
Progressive teeth provide an easier, smoother start of the cutting stroke followed by a high speed, super productive finish.

4-RETSUME
For cross-cutting, rip-cutting and slant-cutting. Cuts in all directions. When the grain of the wood is longways, the saw cuts smoothly at the point where the branch joins.

IMPULSE-HARDENING
The teeth of the blades are heated instantly and hardened, and stay sharp about three times longer than non--hardened teeth.

SHARPENABLE
The blade can be sharpened with a file.

HARD CHROME PLATING
Hard chrome plating produces an exceedingly high durable surface, and is resistant to rust and the effects of resin.

ELECTROLESS NICKEL PLATING
New Electroless Nickel Plating coating process allows the entire blade, even the teeth, to be coated. This provides superior wear and rust resistance for improved cutting performance and extended blade life.

SILKY BLACK PLATING
New electroless Silky black plating process allows the entire blade to be coated in a black protective finish. This provides excellent wear and rust resistance and reduces light reflections during hunting and stealth activities.

RUBBER HANDLE
The rubber handle is comfortable to hold, reduces vibration and offers superior grip when hands are wet or cold when wearing gloves.

GENKI GRIP
The non-slip rubberized grip absorbs vibration and directs more usable energy to the cutting edge. The screwless grip requires no tools for changing the blade.

RUBBER JACKET
Light and comfortable rubber grip with rigid aluminum chassis.

ARBOR COMPOSITE GRIP
Arbor Composite Grip provides warm and comfortable touch, excellent rigidity, and superior control in dry, wet, or game processing conditions.

3D-ROLLER US PAT. 9,821,481
The three rollers provide a smoother action when inserting the saw in the sheath from any angle. The tri-roller system includes a locking mechanism that prevents the saw from accidentally falling out.

MADE IN JAPAN

All our craftsmen are committed to guarantee the best quality. With 100 years of experience, the passion and the hard work have remained unchanged in Silky's manufacturing.

01

FIXED SAWS

Silky's fixed saws are an essential piece of equipment for arborists and professional gardeners worldwide. The highest requirements are met, even in the hardest working conditions.

SUGOI PROFESSIONAL

X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	390-33	330/13.0	5.5-6.5/4.7-5.5	580	1.9	390336	391-33	391333
360	390-36	360/14.2	5.5-6.5/4.7-5.5	615	1.9	390367	391-36	391364
420	390-42	420/16.5	5.5-6.5/4.7-5.5	630	1.9	390428	391-42	391425

SUGOWAZA PROFESSIONAL

X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
420	419-42	420/16.5	5.5-6.5/4.7-5.5	710	1.7	419426	420-42	420422

ZÜBAT PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	270-24	240/9.5	7.5/6.4	445	1.4	270249	271-24	271246
270	270-27	270/10.6	7.5/6.4	450	1.4	270270	271-27	271277
300	270-30	300/11.8	7.5/6.4	490	1.4	270300	271-30	271307
330	270-33	330/13.0	7.5/6.4	495	1.4	270331	271-33	271338

ZÜBAT PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
390	270-39	390/15.4	7.5/6.4	610	1.4	270393	271-39	271390

IBUKI PROFESSIONAL

X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
390	275-39	390/15.4	5.5/4.7	735	1.7	275398	276-39	276395

ZÜBAT PROFESSIONAL

FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	278-33	330/13.0	10/8.5	500	1.4	278337	279-33	279334

ZÜBAT ARBORIST PROFESSIONAL

X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	722-33	330/13.0	5.5/4.7	505	1.4	722335	723-33	723332

TSURUGI PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
300	450-30	300/11.8	8/6.8	435	1.6	450306	451-30	451303

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
300	452-30	300/11.8	10/8.5	435	1.6	452300	453-30	453307

TSURUGI CURVE PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	454-27	270/10.6	7.5/6.4	420	1.5	454274	455-27	455271
330	454-33	330/13.0	7.5/6.4	460	1.6	454335	455-33	455332
375	454-37	375/14.8	6.5/5.5	480	1.7	454373	455-37	455370

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	456-27	270/10.6	10/8.5	430	1.5	456278	457-27	457275
330	456-33	330/13.0	10/8.5	470	1.6	456339	457-33	457336

GUN-FIGHTER CURVE PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	730-27	270/10.6	6-8.5/5.1-7.2	445	1.4	730279	731-27	731276
300	730-30	300/11.8	6-8.5/5.1-7.2	460	1.4	730309	731-30	731306
330	730-33	330/13.0	6-8.5/5.1-7.2	465	1.4	730330	731-33	731337

NATANOKO 60 PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	129-33	330/13.0	7-8/5.9-6.8	455	1.4	129332	130-33	130338

GOMTARO PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	102-21	210/8.3	8/6.8	360	1.4	102212	103-21	103219
240	102-24	240/9.5	8/6.8	370	1.4	102243	103-24	103240
270	102-27	270/10.6	8/6.8	390	1.4	102274	103-27	103271
300	102-30	300/11.8	8/6.8	405	1.4	102304	103-30	103301

GOMTARO PROFESSIONAL

FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	104-24	240/9.5	13/11.0	355	1.1	104247	105-24	105244
270	104-27	270/10.6	13/11.0	370	1.1	104278	105-27	105275
300	104-30	300/11.8	13/11.0	385	1.1	104308	105-30	105305

GOMTARO PRO-SENTEI PROFESSIONAL

LARGE FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
300	108-30	300/11.8	8+14/6.8+11.9	395	1.3	108306	109-30	109303

GOMTARO ROOT-CUTTING PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	153-24	240/9.5	8/6.8	365	1.3	153245	154-24	154242

02

FOLDING SAWS

Silky's folding saws, which is convenient to carry with you, is ideal for camping, bushcrafting as well as gardeners and constructors.
A comfortable rigid handle that offers your hand the perfect grip.



GOMBOY PROFESSIONAL

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	121-21	210/8.3	10/8.5	230	1.3	121213	122-21	122210
240	121-24	240/9.5	10/8.5	265	1.4	121244	122-24	122241
270	121-27	270/10.6	10/8.5	290	1.4	121275	122-27	122272
300	121-30	300/11.8	10/8.5	315	1.4	121305	122-30	122302

GOMBOY CURVE PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	717-21	210/8.3	8/6.8	235	1.3	717218	718-21	718215
240	717-24	240/9.5	8/6.8	265	1.3	717249	718-24	718246
270	717-27	270/10.6	8/6.8	300	1.4	717270	718-27	718277
300	717-30	300/11.8	8/6.8	325	1.4	717300	718-30	718307

POCKETBOY PROFESSIONAL

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	340-13	130/5.0	10/8.5	180	1.3	340133	341-13	341130
170	340-17	170/6.7	10/8.5	220	1.3	340171	341-17	341178

POCKETBOY PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	346-13	130/5.0	8/6.8	180	1.3	346135	347-13	347132
170	346-17	170/6.7	8/6.8	225	1.3	346173	347-17	347170

POCKETBOY CURVE PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	726-13	130/5.0	8/6.8	180	1.3	726135	727-13	727132
170	726-17	170/6.7	8/6.8	225	1.3	726173	727-17	727170

POCKETBOY PROFESSIONAL

FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	342-13	130/5.0	20/16.9	170	0.9	342137	343-13	343134
170	342-17	170/6.7	20/16.9	215	0.9	342175	343-17	343172

BIGBOY PROFESSIONAL

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	350-36	360/14.2	10/8.5	450	1.7	350361	351-36	351368

BIGBOY PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	354-36	360/14.2	7/5.9	450	1.7	354369	355-36	355366

BIGBOY PROFESSIONAL

FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	352-36	360/14.2	13/11.0	405	1.2	352365	353-36	353362

BIGBOY 2000 PROFESSIONAL

X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	356-36	360/14.2	6.5/5.5	440	1.7	356363	357-36	357360

KATANABOY PROFESSIONAL

X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
500	403-50	500/19.7	5/4.2	950	1.9	403500	404-50	404507
650	710-65	650/25.6	4/3.4	1,310	2.5	710653	711-65	711650
1000 ※	710-99	1,000/39.4	2.5-5/2.1-4.2	2,190	2.5	710998	711-99	711995

F180 PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
180	143-18	180/7.0	7.5/6.4	165	1.3	143185	144-18	144182

FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
180	141-18	180/7.0	14/11.9	155	1.1	141181	142-18	142188

super accel 21 PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	119-21	210/8.3	7.5/6.4	200	1.3	119210	120-21	120216

FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	117-21	210/8.3	14/11.9	190	1.1	117216	118-21	118213

ULTRA ACCEL STRAIGHT PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	444-24	240/9.5	7.5/6.4	300	1.3	444244	445-24	445241

ULTRA ACCEL CURVE PROFESSIONAL

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	446-24	240/9.5	7.5/6.4	300	1.3	446248	447-24	447245

[WOODWORKING SAWS]

WOODBOY PROFESSIONAL

X-FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	386-24	240/9.5	26/22.0	215	0.7	386247	387-24	387244

hibiki PROFESSIONAL

X-FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	396-21	210/8.3	22+10/18.6+8.5	345	0.9	396215	397-21	397212

03

CHOPPERS

The unrivaled sharpness of the Japanese sword, captured in a convenient tool. A special alloy steel blade that achieves both hardness and toughness. From debarking, shedding and laying hedge to brush clearing, this is the ultimate all-rounder.

NATA PROFESSIONAL Double Edge

Ni

	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
180	555-18	180/7.0	-	750	-	555186	556-18	556183
240	555-24	240/9.5	-	880	-	555247	556-24	556244

ONO PROFESSIONAL

Ni

	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
120	568-10	120/4.7	-	925	-	568100	569-10	569107

YOKI PROFESSIONAL

Cr

	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	570-27	270/10.6	-	715	-	570271	571-27	571278

OUTBACK EDITION

Silky has developed a completely new line of folding saws, specially designed for outdoor and hunting. The Arbor composite grip is developed according to a completely new technology, guaranteeing a warm and comfortable touch and superior control. The blade features a protective black coating which is rust-proof and non-reflective. Embark on your new adventure with the Silky Outback Edition.

04



@pu.ku.3

@old_swell

@old_swell

BIGBOY 2000 PROFESSIONAL OUTBACK Edition

X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	754-36	360/14.2	6.5/5.5	480	1.7	754367	755-36	755364

POCKETBOY PROFESSIONAL OUTBACK Edition

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
170	750-17	170/6.7	10/8.5	250	1.3	750178	751-17	751175

GOMBOY CURVE PROFESSIONAL OUTBACK Edition

LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	752-24	240/9.5	8/6.8	290	1.3	752240	753-24	753247

1ST GENERATION
1985 -

2ND GENERATION
1995 -

3RD GENERATION
2015 -

05

EPILOGUE

The GOMBOY represents the innovations of Silky, continuously impressing its global users. All Silky saws are developed to achieve " the best sharpness in the world ". We will continue to evolve the beautiful design and high functionality.